

FWP0001257

SULCOR LIMESTONE MINE FORWARD PROGRAM

Tuesday 29 August 2023 to Friday 28 August 2026





Contents

Summary	1
Important	1
Three-year forecast – surface disturbance activities	1
Project description	1
Description of surface disturbance activities	1
Three-year rehabilitation forecast	1
Rehabilitation planning schedule	1
Rehabilitation research and trials	7
Rehabilitation maintenance and corrective actions	1
Rehabilitation schedule	1
Subsidence remediation for underground operations	1
Progressive mining and rehabilitation statistics	1
Three-yearly forecast cumulative disturbance and rehabilitation progression	1
Rehabilitation key performance indicators (KPIs)	1
Attachment 1 – Reporting Definitions	1
Attachment 2 – Definitions	1
Attachment 3 - Plans	_1



Summary

DETAIL		
Mine	Sulcor Limestone Mine	
Reference	FWP0001257	
Forward program commencement date	Tuesday 29 August 2023	
Forward program end date	Friday 28 August 2026	
Forward program revision (if applicable)		
Contact	Lizz Norvill	
Mining leases	ML 1470 (1992)	
Project location	GRAYMONT (NSW) PTY LTD	
Data of submission	Thursday 26 October 2023	

Date of submission Thursday 26 October 2023

Important

The department may make the information in your program and any supporting information available for inspection by members of the public, including by publication on its website or by displaying the information at any of its offices. If you consider any part of your program to be confidential, please communicate this to the department via the message function on this submission within the NSW Resources Regulator Portal.



Three-year forecast – surface disturbance activities

Project description

High-grade limestone is mined at Graymont's Sulcor Limestone Mine and transported to the nearby Attunga Limestone Mine. The limestone is further processed at Attunga to deliver products for essential services while supporting vital industrial processes and agricultural needs. Uses for lime and limestone products include the purification of air and water, stabilisation of soils for road construction, and the production of items such as steel, paper and metals. Mine-related infrastructure at Sulcor includes haul roads, product stockpiles and waste emplacement, with a small amenities structure comprised of relocatable buildings. Active overburden and low-grade material emplacements are located to the southwest of the open-cut mine.

Description of surface disturbance activities

Exploration activities

Drilling to further define the limestone resource to the north of the existing pit.

Construction activities

Nil construction activities planned in the next 3 years.

Mining schedule

Mining development method and sequencing and general mine features.

During this Forward Program period it is proposed to continue mining the extension of Pit A as an eventual replacement for the diminishing reserves at Graymont's nearby Attunga site. Extension of Pit A involves development to the northwest of the existing highwall. Within the extension area, soils are to be pre-stripped and stockpiled for use in site rehabilitation. Soil recovered from the footprint of mining areas, waste emplacements, product stockpiles, or other infrastructure which cannot be immediately used for rehabilitation, are stockpiled in designated topsoil and subsoil storage areas.

Areas identified for emplacements, the sequencing of emplacements, construction, and management.

Mining methods utilise conventional drill & blast and load & haul methods. Nearly all limestone mined is transported to Attunga, but highly weathered limestone and clays

SULCOR LIMESTONE MINE FORWARD PROGRAM



(overburden and interburden) are placed on the waste emplacements at the southwest of the open-cut mine.

Processing infrastructure activities and the location of tailings facilities and schedule for emplacement.

There is no processing equipment located at the Sulcor site. After blasting, product will be screened and hauled away to Attunga for processing. There are no tailings or residues produced at the Sulcor site.

Waste disposal and materials handling operations.

General wastes generated are stored in designated areas on site prior to disposal. Where possible, the material is recycled. This includes cardboard generated on-site. Site sewage is treated in a septic system.

Key production milestones

MATERIAL	UNIT	YEAR 1	YEAR 2	YEAR 3
Stripped topsoil (if applicable)	(m³)	1,100	0	0
Rock/overburden	(m³)	15,800	15,800	15,800
Ore	(Mt)	0.18	0.18	0.18
Reject material ¹	(Mt)	0.04	0.04	0.04
Product	(Mt)	0.14	0.14	0.14

5

¹ This includes coarse rejects, tailings and any other wastes resulting from beneficiation.



Three-year rehabilitation forecast

Rehabilitation planning schedule

Rehabilitation planning schedule

Rehabilitation planning activities for 2023-26 include: 1. • Design of landform and water drainage structures. 2. • Inspections to record the progression towards achievement of the intended landform.

Stakeholder consultation

No stakeholder consultation is planned to be carried out at this stage.

Rehabilitation studies, risk assessments and/or design work

Not applicable for the next three years.



Rehabilitation research and trials

RRT	PROJECT/TRIAL NAME	OBJECTIVE OF TRIAL/PROJECT	METHODOLOGY	EXPECTED DATE	STATUS
NUMBER	R			OF COMPLETION	

FWP0001

257



Rehabilitation maintenance and corrective actions

No rehabilitation performance issues or knowledge gaps were identified in the 2022-23 Annual Rehabilitation Report.

Rehabilitation schedule

Subsidence remediation for underground operations

Not relevant to Graymont operations

Progressive mining and rehabilitation statistics

Three-yearly forecast cumulative disturbance and rehabilitation progression

	FORECAST	UNIT	YEAR 1	YEAR 2	YEAR 3
Α	Total surface disturbance footprint	(ha)	14.48	14.48	14.48
В	Total active disturbance	(ha)	13.78	13.78	13.27
P	Total new area of land proposed for active rehabilitation	(ha)	0.7	0.7	1.21

Rehabilitation key performance indicators (KPIs)

FOREC	AST	UNIT	YEAR 1	YEAR 2	YEAR 3
	ew active ance area	(ha)	1.83		
propose rehabili	ew area of land ed for active tation during the ng period	(ha)	0.7		0.51
•	rehabilitation to		0.38		



Attachment 1 – Reporting Definitions

REPO	ORTING CATEGORY	DEFINITION
Α	Total disturbance footprint – surface disturbance	All areas within a mining lease that either have at some point in time or continue to pose a rehabilitation liability due to surface disturbance activities.
		The total disturbance footprint is the sum of the total active disturbance, decommissioning, landform establishment, growth medium development, ecosystem and land use establishment, ecosystem and land use development and rehabilitation completion (see definitions below).
		Underground mining operations should not include the footprint of underground mining areas/subsidence management areas in the total disturbance footprint.
В	Total active disturbance	Includes on-lease exploration areas, stripped areas ahead of mining, infrastructure areas, water management infrastructure, sewage treatment facilities, topsoil stockpile areas, access tracks and haul roads, active mining areas, waste rock emplacements (active/unshaped/in or out-of-pit), tailings dams (active/unshaped/uncapped) and temporary stabilised areas (e.g. areas sown with temporary cover crops for dust mitigation and temporary rehabilitation).
С	Rehabilitation – land preparation	Includes the sum of all disturbed land within a mining lease that have commenced any, or all, of the following phases of rehabilitation – decommissioning, landform establishment and growth medium development. Refer to the glossary of terms in this document for the definition of these
		phases of rehabilitation.
D	Ecosystem and land use establishment	Includes the area which has been seeded/planted with the target vegetation species for the intended final land use. However, vegetation has not matured to a stage where it can be demonstrated that it will be sustainable for the long term and or require only a maintenance regime consistent with target reference/analogue sites.
		Typically, rehabilitation areas would be in this phase for at least two years (and usually more) before rehabilitation can be classified as being in the ecosystem and land use development phase. This phase does not apply to infrastructure areas that are being retained as part of final land use for the site.

SULCOR LIMESTONE MINE FORWARD PROGRAM



REPORTING CATEGORY	DEFINITION
0	The area of any new active disturbance that will be created during the next three years, as defined under definition A1 (definition A1 Table 5).
P	The sum of any new rehabilitation to be commenced in the next three years. These areas may be in the phases "Rehabilitation - Land Preparation" or the "Ecosystem & Land Use Establishment" (definitions C & D in Table 5).
Q	The rehabilitation to disturbance ratio (S / R) indicates how many hectares of new rehabilitation are undertaken for each hectare of land disturbed during the three years. A ratio of 1/1 indicates that the area of new rehabilitation and disturbance in that period are the same.



Attachment 2 – Definitions

WORD	DEFINITION
Active	In the context of rehabilitation, land associated with mining domains is considered 'active' for the period following disturbance until the commencement of rehabilitation.
Active mining phase of rehabilitation	In the context of rehabilitation, the active mining phase of rehabilitation constitutes the rehabilitation activities undertaken during mining operations such as salvaging and managing soil resources, salvaging habitat resources, and native seed collection. This phase also includes management actions taken during operations to manage risks to rehabilitation and enhance rehabilitation outcomes such as selective handling of waste rock and management of tailings emplacements.
Analogue site	In the context of rehabilitation, an analogue site is a 'reference site' that represents an example of the defining characteristics (such as vegetation composition and structure or agricultural productivity) of the final land use. Characteristics of analogue sites can be assessed to develop the rehabilitation objectives and completion criteria for final land use domains.
Annual rehabilitation report and forward program	As described in the Mining Regulation 2016.
Annual reporting period	As defined in the Mining Regulation 2016.
Closure	A whole-of-mine-life process, which typically culminates in the relinquishment of the mining lease. It includes decommissioning and rehabilitation to achieve the approved final land use(s).
Decommissioning	The process of removing mining infrastructure and removing contaminants and hazardous materials.
Decommissioning Phase of Rehabilitation	Activities associated with the removal of mining infrastructure and removal and/or remediation of contaminants and hazardous materials. In the context of the rehabilitation management plan this phase of rehabilitation may also include studies and assessments associated with decommissioning and demolition of infrastructure or works carried out to make safe or 'fit for purpose' built infrastructure to be retained for future use(s) following lease relinquishment.



WORD	DEFINITION
Department	The Department of Regional NSW.
Disturbance	See Surface Disturbance.
Disturbance area	An area that has been disturbed and that requires rehabilitation. This may include areas such as on-licence exploration areas, stripped areas ahead of mining, infrastructure areas, water management infrastructure, sewage treatment facilities, topsoil stockpile areas, access tracks and haul roads, active mining areas, waste emplacements (active/unshaped/in or out-of-pit), tailings dams (active/unshaped/uncapped), and areas requiring rehabilitation that are temporarily stabilised (i.e. managed to minimise dust generation and/or erosion).
Domain	An area (or areas) of the land that has been disturbed by mining and has a specific operational use (mining domain) or specific final land use (final land use domain). Land within a domain typically has similar geochemical and/or geophysical characteristics and therefore requires specific rehabilitation activities to achieve the associated final land use.
Ecosystem and Land Use Development	This phase of rehabilitation consists of the activities to manage maturing rehabilitation areas on a trajectory to achieving the approved rehabilitation objectives and completion criteria. For vegetated land uses this phase may include processes to develop characteristics of functional self-sustaining ecosystems, such as nutrient recycling, vegetation flowering and reproduction, and increasing habitat complexity, and development of a productive, self-sustaining soil profile. This phase of rehabilitation may include specific vegetation management strategies and maintenance such as tree thinning, supplementary plantings and weed management.
Ecosystem and Land Use Establishment	This phase of rehabilitation consists of the processes to establish the approved final land use following construction of the final landform. For vegetated land uses this rehabilitation phase includes establishing the desired vegetation community and implementing land management activities such as weed control. This phase of rehabilitation may also include habitat augmentation such as installation of nest boxes.
Exploration	Has the same meaning as that term under the State Environmental Planning Policy (Mining, Petroleum Production and Extractive Industries) 2007.



WORD	DEFINITION
Final landform and rehabilitation plan	As defined in the Mining Regulation 2016.
Final land use	As defined in the Mining Regulation 2016.
Form and way	Means the form and way approved by the Secretary. Approved form and way documents are available on the Department's website.
Growth Medium Development	This phase of rehabilitation consists of activities required to establish the physical, chemical and biological components of the substrate required to establish the desired vegetation community (including short lived pioneer species.
	This phase may include spreading the prepared landform with topsoil and/or subsoil and/or soil substitutes, applying soil ameliorants to enhance the physical, chemical and biological characteristics of the growth media, and actions to minimise loss of growth media due to erosion.
Habitat	Has the same meaning as that term under the <i>Biodiversity Conservation Act 2016</i> and the <i>Fisheries Management Act 1994</i> (as relevant).
Indicator	An attribute of the biophysical environment (e.g. pH, topsoil depth, biomass) that can be used to approximate the progression of a biophysical process. It can be measured and audited to demonstrate (and track) the progress of an aspect of rehabilitation towards a desired completion criterion (i.e. defined end point). It may be aligned to an established protocol and used to evaluate changes in a system.
Land	As defined in the <i>Mining Act 1992</i> .
Landform Establishment	This phase of rehabilitation consists of the processes and activities required to construct the final landform. In addition to profiling the surface of rehabilitation areas to the approved final landform profile this phase may include works to construct surface water drainage features, encapsulate problematic materials such as tailings, and prepare a substrate with the desired physical and chemical characteristics (e.g. rock raking or ameliorating sodic materials).
Large mine	As defined in the Mining Regulation 2016.
Lease holder	The holder of a mining lease.



WORD	DEFINITION		
Life of mine	The timeframe of how long a mine is approved to mine, from commencement to closure.		
Mine rehabilitation portal	Means the NSW Resources Regulator's online portal that lease holders must use (via a registered account) to: upload rehabilitation geographical information system (GIS) spatial data develop rehabilitation GIS spatial data (using online tracing functions) generate rehabilitation plans and rehabilitation statistics using the map viewer and Rehabilitation Key Performance Indicator functionalities. Data submitted to the mine rehabilitation portal is collated in a centralised geodatabase for use by the NSW Resources Regulator to regulate rehabilitation performance of lease holders.		
Mining area	As defined in the <i>Mining Act 1992</i> .		
Mining domain	A land management unit with a discrete operational function (e.g. overburden emplacement), and therefore similar geophysical characteristics, that will require specific rehabilitation treatments to achieve the final land use(s).		
Mining land	As defined in the <i>Mining Act 1992</i> .		
Native vegetation	Has the same meaning as that term under section 60B of the <i>Local Land Services Act</i> 2013.		
Overburden	Material overlying coal or a mineral deposit.		
Performance indicator	An attribute of the biophysical environment (for example pH, slope, topsoil depth, biomass) that can be used to demonstrate achievement of a rehabilitation objective. It can be measured and audited to demonstrate (and track) the progress of an aspect of rehabilitation towards a desired completion criterion, that is, a defined end point. It may be aligned to an established protocol and used to evaluate changes in a system.		



WORD	DEFINITION
Phases of rehabilitation	The stages and sequences of actions required to rehabilitate disturbed land to achieve the final land use. The phases of rehabilitation are: active mining decommissioning landform Establishment growth medium development ecosystem and land use establishment ecosystem and land use development.
Progressive rehabilitation	The progress of rehabilitation towards achieving the approved rehabilitation completion criteria. This may be described in terms of domains, phases, performance indicators and rehabilitation completion criteria.
Rehabilitation Completion	The final phase of rehabilitation when a rehabilitation area has achieved the approved rehabilitation objectives and rehabilitation completion criteria for the final land use. Rehabilitation areas may be classified as complete when the NSW Resources Regulator has determined in writing that the relevant rehabilitation obligations have been fulfilled following submission of Form ESF2 Rehabilitation completion and/or review of rehabilitation cost estimate application by the lease holder.
Rehabilitation Completion criteria	As defined in the Mining Regulation 2016.
Rehabilitation cost estimate	As defined in the Mining Regulation 2016.
Rehabilitation management plan	As defined in the Mining Regulation 2016.
Rehabilitation objectives	As defined in the Mining Regulation 2016.
Rehabilitation risk assessment	As defined in the Mining Regulation 2016.
Rehabilitation schedule	The defined timeframes for progressive rehabilitation set out in the forward program.



WORD	DEFINITION
Relevant stakeholders	Means any persons or bodies who may be affected by the mining operations, including rehabilitation, carried out on the lease land, and includes: the relevant development consent authority the local council the relevant landholder(s) community consultative committee (if required under the development consent) or equivalent consultative group affected land holder(s) government agencies relevant to the final land use affected infrastructure authorities (electricity, telecommunications, water, pipeline, road, rail authorities) local Aboriginal communities, and any other person or body determined by the Minister to be a relevant stakeholder in relation to a mining lease.
Risk	The effect of uncertainty on objectives. It is measured in terms of consequences and likelihood (AS/NZS ISO 31000:2009).
Secretary	The Secretary of the Department.
Security deposit	An amount that a mining lease holder is required to provide and maintain under a mining lease condition, to secure funding for the fulfilment of obligations under the lease (including obligations that may arise in the future).
Surface disturbance	Includes activities that disturb the surface of the mining area, including mining operations, ancillary mining activities and exploration.
Tailings	A combination of the fine-grained solid material remaining after the recoverable metals and minerals have been extracted from the mined ore, and any process water ² .
Waste	Has the same meaning as that term under the <i>Protection of the Environment Operations Act 1997</i> .

² Commonwealth of Australia (DITR), 2007. *Tailings Management*.

SULCOR LIMESTONE MINE FORWARD PROGRAM

FWP0001257 | Tuesday 29 August 2023 to Friday 28 August 2026



Attachment 3 – Plans

Plan 2A.pdf

Plan 2B.pdf

Plan 2C.pdf

Forward Program (LARGE MINE) v2.1

Plan 2A: Mining and Rehabilitation - Year 1, Sulcor Limestone Mine - 19/10/2023 - Sub Id 6324, 6374 Legend Rehabilitation Landform Establishment Growth Media Development Ecosystem and Land Use Establishment Ecosystem and Land Use Development Relinquishment (Rehabilitated) Rehabilitation Completion Forecast Data Year1 Forecast Disturbance Forecast Land Prepared for Rehabilitation Ecosystem and Land Use Establishment Project Approval Boundary World Imagery Low Resolution 15m Imagery High Resolution 60cm Imagery High Resolution 30cm Imagery Citations Notes 271.6 Meters 135.79 This map is a user generated static output from an Internet mapping site and is for reference only. Data layers that appear on this map may or may not be accurate, current, or otherwise reliable.

THIS MAP IS NOT TO BE USED FOR NAVIGATION WGS_1984_Web_Mercator_Auxiliary_Sphere
© DRE



